## NSN 4720-01-540-8668

Nonmetallic Tubing - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-01-540-8668

Cross Sectional Shape:  Round  Inside Diameter: 0.375 inches  Nonmetallic Hardness Rating: 67.0 shore durometer a  Tempurature Rating: -45.0 degrees fahrenheit single response and 165.0 degrees fahrenheit single response  Outside Diameter: 0.500 inches  Exterior Color: Clear  End Application: Freshwater tank assembly  Maximum Operating Pressure: 26.0 pounds per square inch single response  Inside Surface Condition: Smooth  Measuring Method And Length: 5.000 feet excluding end fittings  Special Features: Full coil 100 feet, order in 5 foot increments  Material: Plastic polyvinyl chloride tube  Shelf Life: N/a
Nonmetallic Hardness Rating: 67.0 shore durometer a  Tempurature Rating: -45.0 degrees fahrenheit single response and 165.0 degrees fahrenheit single response  Outside Diameter: 0.500 inches  Exterior Color: Clear  End Application: Freshwater tank assembly  Maximum Operating Pressure: 26.0 pounds per square inch single response  Inside Surface Condition: Smooth  Measuring Method And Length: 5.000 feet excluding end fittings  Special Features: Full coil 100 feet, order in 5 foot increments  Material: Plastic polyvinyl chloride tube  Shelf Life:
Nonmetallic Hardness Rating: 67.0 shore durometer a  Tempurature Rating: -45.0 degrees fahrenheit single response and 165.0 degrees fahrenheit single response  Outside Diameter: 0.500 inches  Exterior Color: Clear  End Application: Freshwater tank assembly  Maximum Operating Pressure: 26.0 pounds per square inch single response  Inside Surface Condition: Smooth  Measuring Method And Length: 5.000 feet excluding end fittings  Special Features: Full coil 100 feet, order in 5 foot increments  Material: Plastic polyvinyl chloride tube  Shelf Life:
Tempurature Rating: -45.0 degrees fahrenheit single response and 165.0 degrees fahrenheit single response  Outside Diameter: 0.500 inches  Exterior Color: Clear  End Application: Freshwater tank assembly  Maximum Operating Pressure: 26.0 pounds per square inch single response  Inside Surface Condition: Smooth  Measuring Method And Length: 5.000 feet excluding end fittings  Special Features: Full coil 100 feet, order in 5 foot increments  Material: Plastic polyvinyl chloride tube  Shelf Life:
Tempurature Rating: -45.0 degrees fahrenheit single response and 165.0 degrees fahrenheit single response  Outside Diameter: 0.500 inches  Exterior Color: Clear  End Application: Freshwater tank assembly  Maximum Operating Pressure: 26.0 pounds per square inch single response  Inside Surface Condition: Smooth  Measuring Method And Length: 5.000 feet excluding end fittings  Special Features: Full coil 100 feet, order in 5 foot increments  Material: Plastic polyvinyl chloride tube  Shelf Life:
-45.0 degrees fahrenheit single response and 165.0 degrees fahrenheit single response  Outside Diameter:  0.500 inches  Exterior Color:  Clear  End Application:  Freshwater tank assembly  Maximum Operating Pressure:  26.0 pounds per square inch single response  Inside Surface Condition:  Smooth  Measuring Method And Length:  5.000 feet excluding end fittings  Special Features:  Full coil 100 feet, order in 5 foot increments  Material:  Plastic polyvinyl chloride tube  Shelf Life:
Outside Diameter:  0.500 inches  Exterior Color:  Clear  End Application: Freshwater tank assembly  Maximum Operating Pressure:  26.0 pounds per square inch single response  Inside Surface Condition:  Smooth  Measuring Method And Length:  5.000 feet excluding end fittings  Special Features:  Full coil 100 feet, order in 5 foot increments  Material:  Plastic polyvinyl chloride tube  Shelf Life:
Exterior Color: Clear End Application: Freshwater tank assembly Maximum Operating Pressure: 26.0 pounds per square inch single response Inside Surface Condition: Smooth Measuring Method And Length: 5.000 feet excluding end fittings Special Features: Full coil 100 feet, order in 5 foot increments Material: Plastic polyvinyl chloride tube Shelf Life:
Exterior Color: Clear End Application: Freshwater tank assembly Maximum Operating Pressure: 26.0 pounds per square inch single response Inside Surface Condition: Smooth Measuring Method And Length: 5.000 feet excluding end fittings Special Features: Full coil 100 feet, order in 5 foot increments Material: Plastic polyvinyl chloride tube Shelf Life:
Clear  End Application: Freshwater tank assembly  Maximum Operating Pressure: 26.0 pounds per square inch single response Inside Surface Condition: Smooth  Measuring Method And Length: 5.000 feet excluding end fittings  Special Features: Full coil 100 feet, order in 5 foot increments  Material: Plastic polyvinyl chloride tube  Shelf Life:
End Application: Freshwater tank assembly  Maximum Operating Pressure: 26.0 pounds per square inch single response Inside Surface Condition: Smooth  Measuring Method And Length: 5.000 feet excluding end fittings  Special Features: Full coil 100 feet, order in 5 foot increments  Material: Plastic polyvinyl chloride tube  Shelf Life:
Freshwater tank assembly  Maximum Operating Pressure: 26.0 pounds per square inch single response Inside Surface Condition: Smooth  Measuring Method And Length: 5.000 feet excluding end fittings  Special Features: Full coil 100 feet, order in 5 foot increments  Material: Plastic polyvinyl chloride tube  Shelf Life:
Maximum Operating Pressure:  26.0 pounds per square inch single response Inside Surface Condition:  Smooth  Measuring Method And Length:  5.000 feet excluding end fittings  Special Features:  Full coil 100 feet, order in 5 foot increments  Material:  Plastic polyvinyl chloride tube  Shelf Life:
26.0 pounds per square inch single response Inside Surface Condition: Smooth Measuring Method And Length: 5.000 feet excluding end fittings Special Features: Full coil 100 feet, order in 5 foot increments Material: Plastic polyvinyl chloride tube Shelf Life:
Inside Surface Condition: Smooth  Measuring Method And Length: 5.000 feet excluding end fittings  Special Features: Full coil 100 feet, order in 5 foot increments  Material: Plastic polyvinyl chloride tube  Shelf Life:
Smooth  Measuring Method And Length: 5.000 feet excluding end fittings  Special Features: Full coil 100 feet, order in 5 foot increments  Material: Plastic polyvinyl chloride tube  Shelf Life:
Measuring Method And Length: 5.000 feet excluding end fittings  Special Features: Full coil 100 feet, order in 5 foot increments  Material: Plastic polyvinyl chloride tube  Shelf Life:
5.000 feet excluding end fittings  Special Features:  Full coil 100 feet, order in 5 foot increments  Material:  Plastic polyvinyl chloride tube  Shelf Life:
Special Features: Full coil 100 feet, order in 5 foot increments  Material: Plastic polyvinyl chloride tube  Shelf Life:
Full coil 100 feet, order in 5 foot increments  Material:  Plastic polyvinyl chloride tube  Shelf Life:
Material: Plastic polyvinyl chloride tube Shelf Life:
Plastic polyvinyl chloride tube  Shelf Life:
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A54200