NSN 4720-01-541-2580

Air Duct Hose - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-541-2580

| Cross Sectional Shape: |
|---|
| Round |
| Wall Thickness: |
| 0.060 inches |
| Inside Diameter: |
| 2.000 inches second end |
| Tempurature Rating: |
| -65.0 degrees fahrenheit and 160.0 degrees fahrenheit |
| Outside Diameter: |
| 2.120 inches second end |
| Minimum Inside Bending Radius: |
| 2.000 inches |
| End Application: |
| E-3a awacs aircraft |
| Endlength: |
| 1.500 inches second end |
| Connection Style: |
| Round both ends |
| Connection Type: |
| Plain both ends |
| End Inside Diameter: |
| 2.500 inches first end |
| End Inside Width: |
| 2.000 inches second end |
| Maximum Operating Pressure: |
| 12.0 pounds per square inch |
| Measuring Method And Length: |
| 15.500 inches |
| Product Name: |
| Duct, air, flexible, transition |
| Material: |
| Fiberglass reinforcing wire |
| Material Specification: |
| Bms8-17, type 1, grade c, class 2, form 3. Assn standard all material responses 2nd ply |
| Style Designator: |
| Helically wound continous wire supported |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |

NSN 4720-01-541-2580

Air Duct Hose - Page 2 of 2



Fiig:

A229a0