## NSN 4720-01-544-6078

**Cross Sectional Shape:** 

Round

**Thread Class:** 

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-544-6078

2b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.250 inches
Tempurature Rating:
-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response
Outside Diameter:
0.375 inches
Minimum Inside Bending Radius:
2.000 inches
End Application:
Force system, refueler
Connection Style:
Nut assembly with gasket 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal hose 1st end
Burst Test Pressure:
6500.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
1500.0 pounds per square inch
Thread Size:
0.500 inches 1st end
Inside Surface Condition:
Smooth
Measuring Method And Length:
37.000 inches
Product Name:
Assembly, hose fuel piping (static dissipating)
Special Features:
Location: eductor to fuel tank
Thread Series Designator:
Unf 1st end
Shelf Life:
N/a

## NSN 4720-01-544-6078

Nonmetallic Hose Assembly - Page 2 of 2



ı	In	it I	Of	· M	دما	e i	ıre:
ι	JΝ	II '	ωı	IV	еа	SU	ıre:

--

Demilitarization:

No

Fiig:

A542a0