## NSN 4720-01-544-9725

Unf 1st end

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-544-9725

Cross Sectional Shape:				
Round				
Thread Class:				
2b 1st end				
Thread Direction:				
Right-hand 1st end				
Inside Diameter:				
0.250 inches				
Tempurature Rating:				
-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response				
Outside Diameter:				
0.375 inches				
Minimum Inside Bending Radius:				
2.000 inches				
End Application:				
Force system, refueler				
Connection Style:				
Flare 1st end				
End Connection Design:				
Straight 1st end				
Connection Type:				
Threaded internal tube 1st end				
Burst Test Pressure:				
6500.0 pounds per square inch				
Layer Composition And Location:				
Outer layer braided corrosion resistant steel wire				
Maximum Operating Pressure:				
1500.0 pounds per square inch				
Thread Size:				
0.500 inches 1st end				
Seat Angle:				
37.0 degrees 1st end				
Inside Surface Condition:				
Smooth				
Measuring Method And Length:				
25.000 inches				
Product Name:				
Assembly, hose fuel piping (static dissipating)				
Special Features:				
Location of hose assembly: press switch to discharge elbow; stainless steel f jic fittings per mil-dtl-27267 on each end				
Thread Series Designator:				

## NSN 4720-01-544-9725

Nonmetallic Hose Assembly - Page 2 of 2



_				
c	hο	JIF.		ife:
J	116		_	HG.

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0