## NSN 4720-01-546-6835

**Cross Sectional Shape:** 

Round

Thread Class: 2b 1st end

**Thread Direction:** 

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-546-6835

Right-hand 1st end	
Inside Diameter:	
0.250 inches	
Tempurature Rating:	
250.0 degrees fahrenheit single response	
Outside Diameter:	
0.530 inches	
Minimum Inside Bending Radius:	
4.000 inches	
End Application:	
Flt assembly, blo	
Connection Style:	
Gasket seal / optional end 1st end	
End Connection Design:	
Straight 1st end	
Connection Type:	
Threaded internal boss 1st end	
Burst Test Pressure:	
11000.0 pounds per square inch	
Layer Composition And Location:	
1st layer braided steel wire and outer layer mol	ded rubber, synthetic
Maximum Operating Pressure:	
2750.0 pounds per square inch	
Thread Size:	
0.562 inches 1st end	
Outer Covering Environmental Protection:	
Abrasion resistant and oil resistant and weather	proof
Inside Surface Condition:	
Smooth	
Measuring Method And Length:	
18.000 inches	
Special Features:	
Series 43 crimp 316 stainless steel fittings; tem	perature rating media related
Media For Which Designed:	
Air and gas and hydraulic fluid and water sing	le response
Thread Series Designator:	
Unf 1st end	

## NSN 4720-01-546-6835

Nonmetallic Hose Assembly - Page 2 of 2



_					
•	n	<b>0</b> 1	•	12	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0