Nonmetallic Hose Assembly - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-01-547-7767

| Cross Sectional Shape: | | |
|--------------------------------|--|--|
| Round | | |
| Thread Class: | | |
| 3b 1st end | | |
| Thread Direction: | | |
| Right-hand 1st end | | |
| Inside Diameter: | | |
| 0.313 inches | | |
| Outside Diameter: | | |
| 0.438 inches | | |
| Minimum Inside Bending Radius: | | |
| 4.000 inches | | |
| End Application: | | |
| S61 helicopter | | |
| Connection Style: | | |
| Swivel nut flare 2nd end | | |
| End Connection Design: | | |
| Straight 1st end | | |
| Connection Type: | | |
| Threaded internal tube 1st end | | |
| Burst Test Pressure: | | |
| 9000.0 pounds per square inch | | |
| Maximum Operating Pressure: | | |
| 1500.0 pounds per square inch | | |
| Thread Size: | | |
| 0.562 inches 2nd end | | |
| Seat Angle: | | |
| 37.0 degrees 2nd end | | |
| Flow Angle: | | |
| 45.0 degrees 2nd end | | |
| Measuring Method And Length: | | |
| 18.000 inches working | | |
| Thread Series Designator: | | |
| Unf 2nd end | | |
| Shelf Life: | | |
| N/a | | |
| Unit Of Measure: | | |
| | | |
| Demilitarization: | | |
| No | | |
| Fiig: | | |
| A542a0 | | |
| | | |