## NSN 4720-01-555-3894

**Cross Sectional Shape:** 

Round

Thread Class: 2b 1st end

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-555-3894

Thread Direction:
Right-hand 1st end
Inside Diameter:
0.308 inches
Tempurature Rating:
-65.0 degrees fahrenheit and 400.0 degrees fahrenheit single response
Outside Diameter:
0.490 inches
Minimum Inside Bending Radius:
2.500 inches
End Application:
Midbody piping
Connection Style:
Gasket seal / optional end 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal boss 1st end
Thready Qty Per Inch (tpi):
16 1st end
Burst Test Pressure:
12000.0 pounds per square inch
Maximum Operating Pressure:
2250.0 pounds per square inch
Thread Size:
0.688 inches 1st end
Hydrostatic Test Pressure:
5000.0 pounds per square inch
Inside Surface Condition:
Smooth
Measuring Method And Length:
74.250 inches working
Product Name:
Flex hose hm-fh-11
Special Features:
Polytetrafluoroethylene; 316l stainless steel; nuts have lockwire holes; threads mate to cpv h849t-6
Media For Which Designed:
Hydraulic fluid single response

## NSN 4720-01-555-3894

Nonmetallic Hose Assembly - Page 2 of 2



Un 1st end

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0