NSN 4720-01-556-0456



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-556-0456 **Cross Sectional Shape:** Round **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.401 inches **Tempurature Rating:** -65.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response **Outside Diameter:** 0.615 inches **Minimum Inside Bending Radius:** 2.875 inches Angle Between Rigid Elbow Fittings In Deg: 90.0 **End Application:** Asds **Connection Style:** Gasket seal / optional end 2nd end **End Connection Design:** Elbow 2nd end **Connection Type:** Threaded internal boss 2nd end Thready Qty Per Inch (tpi): 16 2nd end **Burst Test Pressure:** 12000.0 pounds per square inch **Maximum Operating Pressure:** 5000.0 pounds per square inch **Thread Size:** 0.812 inches 2nd end Flow Angle: 90.0 degrees 2nd end **Inside Surface Condition:** Smooth **Measuring Method And Length:** 24.000 inches working

N/a

Unf 1st end Shelf Life:

Thread Series Designator:

NSN 4720-01-556-0456

Nonmetallic Hose Assembly - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A542a0