

View Online at <https://aerobasegroup.com/nsn/4720-01-557-3305>

Cross Sectional Shape:

Round

Thread Class:

2b all ends

Inside Diameter:

0.617 inches

Temperature Rating:

-65.0 degrees fahrenheit and 400.0 degrees fahrenheit single response

Outside Diameter:

0.990 inches

Minimum Inside Bending Radius:

3.875 inches

Angle Between Rigid Elbow Fittings In Deg:

90.0

End Application:

Operation compartment piping

Connection Style:

Swivel nut, gasket seal all ends

End Connection Design:

Elbow all ends

Connection Type:

Threaded internal boss all ends

Thready Qty Per Inch (tpi):

12 all ends

Layer Composition And Location:

1st layer braided corrosion resistant steel wire

Thread Size:

1.250 inches all ends

Flow Angle:

90.0 degrees all ends

Inside Surface Condition:

Smooth

Measuring Method And Length:

146.375 inches working

Outside Diameter Tube Accommodated:

0.750 inches all ends

Product Name:

Flex hose assembly, hm-fh-36

Special Features:

Inner tube polytetrafluoroethylene with two stainless steel braids, two stainless steel fittings; nut has lockwire holes, mates to cpv h849t-12

Media For Which Designed:

Hydraulic fluid, phosphate-ester base single response

Thread Series Designator:

Un all ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0