NSN 4720-01-557-3323

N/a

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-557-3323

| view Offilite at https://aerobasegroup.com/histi/+//20-01-00/-0020 |
|---|
| Cross Sectional Shape: |
| Round |
| Thread Class: |
| 2b all ends |
| Inside Diameter: |
| 0.401 inches |
| Tempurature Rating: |
| -65.0 degrees fahrenheit and 400.0 degrees fahrenheit single response |
| Outside Diameter: |
| 0.615 inches |
| Minimum Inside Bending Radius: |
| 3.250 inches |
| End Application: |
| Operation compartment piping |
| Connection Style: |
| Swivel nut, gasket seal all ends |
| End Connection Design: |
| Straight all ends |
| Connection Type: |
| Threaded internal boss all ends |
| Thready Qty Per Inch (tpi): |
| 16 2nd end |
| Layer Composition And Location: |
| Outer layer braided corrosion resistant steel wire |
| Thread Size: |
| 0.812 inches 2nd end |
| Inside Surface Condition: |
| Smooth |
| Measuring Method And Length: |
| 27.000 inches working |
| Outside Diameter Tube Accommodated: |
| 0.750 inches 1st end |
| Product Name: |
| Flex hose assembly, hm-fh-4 |
| Special Features: |
| Inner tube polytetrafluoroethylene with 304 stainless steel outer braid; two stainless steel fittings; nut has lockwire holes, mates to cpv |
| h849t-8 and h849t-12 |
| Media For Which Designed: |
| Hydraulic fluid, phosphate-ester base single response |
| Thread Series Designator: |
| Un all ends |
| Shelf Life: |

NSN 4720-01-557-3323

Nonmetallic Hose Assembly - Page 2 of 2



| | | eas | |
|--|--|-----|--|

--

Demilitarization:

No

Fiig:

A542a0