NSN 4720-01-567-8203

Nonmetallic Hose Assembly - Page 1 of 2



Troilling troop resonary Trage Ter 2	
View Online at https://aerobasegroup.com/nsn/4720-01-567-8203	
Cross Sectional Shape:	
Round	
Thread Direction:	
Right-hand all ends	
Inside Diameter:	
0.500 inches	
Tempurature Rating:	
50.0 degrees fahrenheit 2nd response and 302.0 degrees fahrenheit 2nd response	
Outside Diameter:	
0.830 inches	
Minimum Inside Bending Radius:	
2.000 inches	
Exterior Color:	
Black	
End Application:	
Fuek pickup assembly	
Connection Style:	
Swivel nut flare all ends	
End Connection Design:	
Straight all ends	
Connection Type:	
Threaded internal tube all ends	
Burst Test Pressure:	
1800.0 pounds per square inch	
Layer Composition And Location:	
1st layer braided fiber and outer layer woven fabric	
Maximum Operating Pressure:	
450.0 pounds per square inch	
Thread Size:	
0.875 inches all ends	
Seat Angle:	
37.0 degrees all ends	
Measuring Method And Length:	

...oaoa....g ...oa..oa / a...

30.000 inches working

Seat Radius:

37.000 inches all ends

Outside Diameter Tube Accommodated:

0.830 inches all ends

Product Name:

Hose

Media For Which Designed:

Hydraulic fluid 3rd response

NSN 4720-01-567-8203

Nonmetallic Hose Assembly - Page 2 of 2



ınread	Series	Designator
Unf all e	ends	

Shelf Life: N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0