NSN 4720-01-567-9145

Nonmetallic Hose Assembly - Page 1 of 2



,	агоар
View Online at https://aerobasegroup.com/nsn/4720-01-567-9145	
Pipe Size Accommodated:	
0.250 inches all ends	
Cross Sectional Shape:	
Round	
Inside Diameter:	
0.250 inches	
Tempurature Rating:	
-70.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response	
Outside Diameter:	
0.510 inches	
Minimum Inside Bending Radius:	
1.750 inches	
Inner Conveying Tube Style:	
Plain	
Exterior Color:	
Black	
End Application:	
Tow sheave assembly	
Connection Style:	
Swivel nut, gasket seal all ends	
End Connection Design:	
Straight 1st end	
Connection Type:	
Threaded internal boss all ends	
Burst Test Pressure:	
12000.0 pounds per square inch	
Layer Composition And Location:	
1st layer braided fiber and outer layer polyester	
Maximum Operating Pressure:	
3000.0 pounds per square inch	
Flow Angle:	

90.0 degrees 2nd end

Inside Surface Condition:

Smooth

Measuring Method And Length:

14.000 inches working

Inside Diameter Hose Accommodated:

0.250 inches all ends

Outside Diameter Tube Accommodated:

0.250 inches all ends

Special Features:

Threads .562-18 unf 2b

NSN 4720-01-567-9145

Nonmetallic Hose Assembly - Page 2 of 2



Media For Which Designed:

Hydraulic fluid single response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A542a0