Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-567-9145

view Online at https://aerobasegroup.com/hsi/4/20-01-30/-9143
Pipe Size Accommodated:
0.250 inches all ends
Cross Sectional Shape:
Round
Inside Diameter:
0.250 inches
Tempurature Rating:
-70.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response
Outside Diameter:
0.510 inches
Minimum Inside Bending Radius:
1.750 inches
Inner Conveying Tube Style:
Plain
Exterior Color:
Black
End Application:
Tow sheave assembly
Connection Style:
Swivel nut, gasket seal all ends
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal boss all ends
Burst Test Pressure:
12000.0 pounds per square inch
Layer Composition And Location:
1st layer braided fiber and outer layer polyester
Maximum Operating Pressure:
3000.0 pounds per square inch
Flow Angle:
90.0 degrees 2nd end
Inside Surface Condition:
Smooth
Measuring Method And Length:
14.000 inches working
Inside Diameter Hose Accommodated:
0.250 inches all ends
Outside Diameter Tube Accommodated:
0.250 inches all ends
Special Features:

Threads .562-18 unf 2b

AeroBase Group

## Media For Which Designed:

Hydraulic fluid single response

Shelf Life:

N/a

Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

Fiig:

A542a0