NSN 4720-01-570-5090

Metallic Hose Assembly - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-01-570-5090

| Cross Costional Change |
|---|
| Cross Sectional Shape: |
| Round |
| Inside Diameter: |
| 0.250 inches |
| Tempurature Rating: |
| -65.0 degrees fahrenheit and 450.0 degrees fahrenheit 1st response |
| Outside Diameter: |
| 0.400 inches |
| Inner Conveying Tube Style: |
| Plain |
| Burst Test Pressure: |
| 10000.0 pounds per square inch |
| Maximum Operating Pressure: |
| 1500.0 pounds per square inch |
| Inside Surface Condition: |
| Smooth |
| Measuring Method And Length: |
| 25.500 inches |
| Product Name: |
| Polytetrafluoroethylene hose assembly, medium pressure conductive cruise |
| Special Features: |
| Permanently attached aluminum endfittings; 90 degree swivel at one end, 45 degree swivel at the other; angular rotation of 250.0 degrees; |
| 2.0 inch bend radius |
| Media For Which Designed: |
| Hydraulic fluid single response |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A542a0 |
| |
| |
| |
| |