## NSN 4720-01-580-0464



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-01-580-0464 **Cross Sectional Shape:** Round **Thread Direction:** Right-hand all ends **Inside Diameter:** 1.000 inches **Tempurature Rating:** -100.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response **Outside Diameter:** 1.330 inches **Minimum Inside Bending Radius:** 5.000 inches **End Application:** Mk 111 mod 0 mag and lower ammo hoist assembly **Connection Style:** Swivel nut, inverted flare all ends **Connection Type:** Threaded internal tube all ends **Burst Test Pressure:** 4000.0 pounds per square inch **Layer Composition And Location:** 1st layer polytetrafluoroethylene impregnated glass fiber and outer layer braided steel wire **Maximum Operating Pressure:** 1000.0 pounds per square inch **Thread Size:** 1.312 inches all ends Seat Angle: 37.0 degrees all ends Vacuum In Torr: 28.0 **Inside Surface Condition:** Convoluted **Measuring Method And Length:** 72.000 inches **Thread Series Designator:** Nptf all ends Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

No

## NSN 4720-01-580-0464

Nonmetallic Hose Assembly - Page 2 of 2



Fiig:

A542a0