

View Online at <https://aerobasegroup.com/nsn/4720-01-582-1589>

Cross Sectional Shape:

Round

Inside Diameter:

0.250 inches

Temperature Rating:

-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response

Outside Diameter:

0.343 inches

Minimum Inside Bending Radius:

2.000 inches

Inner Conveying Tube Style:

Plain

End Application:

U-2

Connection Style:

Swivel nut flare all ends

End Connection Design:

Straight all ends

End Fitting Component And Material:

Body stainless steel all ends

Connection Type:

Threaded internal tube all ends

Burst Test Pressure:

7000.0 pounds per square inch

Layer Composition And Location:

Outer layer braided corrosion resistant steel wire and 1st layer polytetrafluoroethylene impregnated glass fiber

Maximum Operating Pressure:

1500.0 pounds per square inch

Seat Angle:

37.0 degrees all ends

Inside Surface Condition:

Smooth

Measuring Method And Length:

120.000 inches working

Outside Diameter Tube Accommodated:

0.250 inches all ends

Media For Which Designed:

Oil, lubricating, diester base 2nd response

Thread Series Designator:

Unf all ends

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A542a0