Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-01-610-2140

Crease Costional Change	
Cross Sectional Shape: Round	
Thread Class:	
3b 1st end Thread Direction:	
Right-hand 1st end	
Inside Diameter: 0.329 inches	
Tempurature Rating:	
-65.0 degrees fahrenheit and 300.0 degrees fahrenheit single response	
Outside Diameter:	
0.570 inches	
Angle Between Rigid Elbow Fittings In Deg:	
90.0	
Connection Style:	
Swivel nut flare 1st end	
End Connection Design:	
Straight 1st end	
Connection Type:	
Threaded internal tube 1st end	
Features Provided:	
Reusable end fittings	
Burst Test Pressure:	
6000.0 pounds per square inch	
Layer Composition And Location:	
1st layer braided corrosion resistant steel wire, partial coverage and outer layer braided corrosion resistant steel wire	
Maximum Operating Pressure:	
1000.0 pounds per square inch	
Seat Angle:	
37.0 degrees 1st end	
Hydrostatic Test Pressure:	
2500.0 pounds per square inch	
Flow Angle:	
90.0 degrees 1st end	
Inside Surface Condition:	
Smooth	
Measuring Method And Length:	
10.250 inches	
Product Name:	
Hose assembly	
Media For Which Designed:	
Fuel/oil, hydrocarbon single response	

Nonmetallic Hose Assembly - Page 2 of 2



**Thread Series Designator:** 

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A542a0