

View Online at <https://aerobasegroup.com/nsn/4730-00-003-5373>

Body Style:

Shoulder

Concentric Hole Depth:

2.750 inches

Concentric Hole Diameter:

0.125 inches

Overall Length:

6.000 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Flared

First End Thread Class:

3a

First End Thread Direction:

Right-hand

Second End Connection Type:

Threaded internal pipe

Second End Style Designator:

Plain

Second End Thread Direction:

Right-hand

Cotter Pin Hole Diameter:

0.156 inches

Width Across Flats:

1.500 inches

First End Thread Length:

1.031 inches

Second End Thread Length:

0.250 inches

Wrenching Feature Style:

Hexagon

Distance From Bolt End To Hole Center:

0.281 inches

First Diameter From Wrenching Feature:

Between 1.242 inches and 1.246 inches

Second Diameter From Wrenching Feature:

0.896 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

4.250 inches

Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:

4.343 inches

First Radial Fluid Hole Diameter:

0.125 inches

Distance From First Radial Hole Center To End Of Bolt:

3.250 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

5.375 inches

Wrenching Feature Height:

0.625 inches

First End Thready Qty Per Inch (tpi):

12

First End Thread Series Designator:

Unf

First End Seat Angle:

12.0 degrees

First End Thread Size:

1.000 inches

Second End Thread Size:

0.250 inches

Second End Thread Series Designator:

Npt

Material:

Nickel alloy

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A121a0