

View Online at <https://aerobasegroup.com/nsn/4730-00-008-4830>

Thread Class:

3b 1st end

Connection Style:

Swivel nut, flare (tube) style 3 optional end 1st end

Leg Length:

2.150 inches 2nd end

Connection Type:

Unthreaded internal tube 2nd end

Thread Size:

0.750 inches 1st end

Seat Angle:

37.0 degrees 1st end

Flow Angle:

90.0 degrees

Outside Diameter Tube Accommodated:

0.500 inches all ends

Special Features:

The internal surface of the permaswage end, will be polytetrafluoroethylene coated, per deutsch co, spec no. Dmcps1009, to 0.410 in. Min 0.435 in. Max, into the fitting bore

Material:

Stainless steel

Material Specification:

Ams 5656, type 21-6-9 assn standard single material response

Media For Which Designed:

Hydraulic fluid single response

Surface Treatment:

Plastic polytetrafluoroethylene inside and passivate inside

Surface Treatment Specification:

Mil-f-14072, e300, type 2 military specification single treatment response outside

Thread Series Designator:

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A080b0

Mil-std (military Standard):

Mil-s-5002 spec.