

View Online at <https://aerobasegroup.com/nsn/4730-00-009-0390>

**Body Style:**

Body wrenching

**Concentric Hole Diameter:**

Between 0.190 inches and 0.200 inches

**Overall Length:**

Between 1.495 inches and 1.565 inches

**First End Connection Type:**

Threaded external tube

**First End Style Designator:**

Plain

**First End Thread Class:**

3a

**First End Thread Direction:**

Right-hand

**Second End Connection Type:**

Threaded external tube

**Second End Style Designator:**

Flared

**Second End Thread Class:**

3a

**Second End Thread Direction:**

Right-hand

**Width Across Flats:**

0.750 inches

**First End Thread Length:**

Between 0.335 inches and 0.340 inches

**Second End Thread Length:**

0.267 inches

**Wrenching Feature Style:**

Hexagon

**First Diameter From Wrenching Feature:**

Between 0.423 inches and 0.428 inches

**Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:**

Between 0.435 inches and 0.445 inches

**First Radial Fluid Hole Diameter:**

Between 0.130 inches and 0.140 inches

**Distance From First Radial Hole Center To End Of Bolt:**

Between 0.620 inches and 0.630 inches

**Length From Bearing Surface Of Wrenching Feature To Bolt End:**

Between 0.535 inches and 0.565 inches

**Wrenching Feature Height:**

Between 0.110 inches and 0.130 inches

**First End Thread Series Designator:**

Unf

**First End Thread Size:**

0.438 inches

**Second End Seat Angle:**

37.0 degrees

**Second End Thread Size:**

0.438 inches

**Second End Thread Series Designator:**

Unf

**Material:**

Steel comp 347

**Material Specification:**

Qq-s-763 federal specification single material response

**Surface Treatment:**

Passivate

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A121a0