## NSN 4730-00-024-9571

Fluid Pressure Line Multiple Connector - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/4730-00-024-957 |
|--|
| Thread Class:  |
| 3a   |
| Thread Direction:  |
| Right-hand   |
| Overall Length: 1.912 inches                                 |
| Overall Width:   |
| 1.000 inches   |
| Thickness:   |
| 0.875 inches   |
| Thread Size:   |
| 9/16 in18  |
| Thread Provision:  |
| Threaded   |
| Connection Style:  |
| Flared   |
| Bolt Hole Diameter:  |
| 0.563 inches   |
| Seat Angle In Deg:   |
| 37.0   |
| Screw Thread Series Designator:                              |
| Unf  |
| Seat:  |
| Not included   |
| Deg Between Outlets:   |
| 75.0   |
| Fluid Connection Quantity:                                   |
| 1  |
| Fluid Conveyance Type And Size For Which Designed:           |
| 3/8 in. Od tube  |
| Bolt Hole Flats Serrations:                                  |
| Provided   |
| Bolt Hole Fluid Passage:                                     |
| Provided   |
| Material:  |
| Steel  |
| Material:  |
| Steel  |
| Surface Treatment:   |
| Phosphate  |
| Style Designator:  |

1 fluid connection

## NSN 4730-00-024-9571

Mil-f-5509 spec.

Fluid Pressure Line Multiple Connector - Page 2 of 2



| Surface Treatment:  |  |
|---|--|
| Phosphate   |  |
| Specification Data:   |  |
| 38044-an776 government standard and 81343-as4875/1 professional/industrial association standard |  |
| Departure From Cited Designator:  |  |
| Psts  |  |
| Shelf Life:   |  |
| N/a   |  |
| Unit Of Measure:  |  |
| -   |  |
| Demilitarization:   |  |
| No  |  |
| Fiig:   |  |
| Г385-g  |  |
| Mil-std (military Standard):  |  |
|   |  |