## NSN 4730-00-038-7812

Fluid Passage Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-038-7812

Body Style:
Plain
Concentric Hole Depth:
Between 0.750 inches and 0.812 inches
Concentric Hole Diameter:
Between 0.087 inches and 0.094 inches
Overall Length:
Between 1.200 inches and 1.230 inches
First End Connection Type:
Threaded external tube
First End Style Designator:
Plain
First End Thread Class:
3a
First End Thread Direction:
Right-hand
Width Across Flats:
0.562 inches
First End Thread Length:
Between 0.500 inches and 0.530 inches
Wrenching Feature Style:
Hexagon
First Diameter From Wrenching Feature:
Between 0.305 inches and 0.313 inches
Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:
Between 0.410 inches and 0.470 inches
First Radial Fluid Hole Diameter:
Between 0.061 inches and 0.069 inches
Distance From First Radial Hole Center To End Of Bolt:
0.675 inches
Length From Bearing Surface Of Wrenching Feature To Bolt End:
Between 0.940 inches and 0.970 inches
Wrenching Feature Height:
Between 0.230 inches and 0.290 inches
First End Thread Series Designator:
Unf
First End Thread Size:
0.312 inches
Special Features:
W.Two safety wire holes, 0.046 in. Id, located in hexagon head spaced 180 degrees apart
Material:
Stainless steel

# NSN 4730-00-038-7812

Fluid Passage Bolt - Page 2 of 2



#### Material Specification:

Qq-s-764, type 303 federal specification single material response

Surface Treatment:

Passivate

Shelf Life:

N/a

### Unit Of Measure:

---

## Demilitarization:

No

Fiig:

A121a0