NSN 4730-00-047-3946

Fluid Passage Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-047-3946

Body Style:
Plain
Concentric Hole Depth:
2.656 inches
Concentric Hole Diameter:
0.218 inches
Overall Length:
5.062 inches
First End Connection Type:
Threaded external tube
First End Style Designator:
Plain
First End Thread Class:
2a
First End Thread Direction:
Right-hand
Second End Style Designator:
Plain
Second End Thread Class:
2b
Second End Thread Direction:
Right-hand
First End Seat Radius:
0.060 inches
Cotter Pin Hole Diameter:
0.140 inches
Width Across Flats:
1.500 inches
First End Thread Length:
0.750 inches
Second End Thread Length:
0.160 inches
Wrenching Feature Style:
Hexagon
Distance From Bolt End To Hole Center:
0.062 inches
First Diameter From Wrenching Feature:
1.000 inches
Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:
4.044 inches
First Radial Fluid Hole Diameter:
0.140 inches

NSN 4730-00-047-3946

Fluid Passage Bolt - Page 2 of 2



	stance From First Radial Hole Center To End Of Bolt:
	ength From Bearing Surface Of Wrenching Feature To Bolt En
	590 inches
	renching Feature Height:
	375 inches
	rst End Thready Qty Per Inch (tpi):
28	
-	rst End Thread Series Designator:
Ur	-
	rst End Seat Angle:
	.0 degrees
	rst End Thread Size:
1.(000 inches
Se	cond End Seat Angle:
90	.0 degrees
Se	cond End Thready Qty Per Inch (tpi):
14	
Se	econd End Thread Size:
0.2	250 inches
Se	cond End Thread Series Designator:
Ur	ıf
Ma	aterial:
St	eel comp 416
Ma	aterial Specification:
Qo	q-p-416 federal specification single material response
Sh	nelf Life:
N/	a
Ur	nit Of Measure:
De	emilitarization:
Nc	
Fii	ig: