

View Online at <https://aerobasegroup.com/nsn/4730-00-051-5209>

Thread Class:

2a all ends

Maximum Operating Temp:

250.0 degrees fahrenheit 2nd response

End Application:

02n strategic weapon systems (poseidon and trident)

Connection Style:

Flared (tube) 1st end

Connection Type:

Threaded external tube 1st end

Maximum Operating Pressure:

3000.0 pounds per square inch single response

Thread Size:

0.750 inches 2nd end

Seat Angle:

37.0 degrees 1st end

Outside Diameter Tube Accommodated:

0.375 inches 1st end

Nominallength:

1.375 inches

Special Features:

Grumman a10 aircraft

Material:

Steel comp 316 or steel comp 304

Material Specification:

66, 300 series federal standard single material response

Media For Which Designed:

Hydraulic fluid 1st response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35, type 2 federal specification single treatment response

Thread Series Designator:

Unf all ends

Furnished Items And Quantity:

1 flared sleeve and 1 preformed packing and 1 short coupling nut

Specification Data:

96906-ms51525 government standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A080b0