NSN 4730-00-052-9751

Swivel Flange To Hose Elbow - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-052-9751

Bolt Hole Quantity:
4 1st end
Maximum Operating Temp:
232.0 degrees celsius single response
Connection Style:
Gripping nipple (nose) 2nd end
Leg Length:
2.052 inches 2nd end
Width:
2.188 inches 1st end
Length:
2.188 inches 1st end
Flange Shape:
Rectangular with holes 1st end
Connection Type:
Threaded external hose gripping 2nd end
Maximum Operating Pressure:
1000.0 pounds per square inch single response
Flow Angle:
Flow Angle: 45.0 degrees
45.0 degrees
45.0 degrees Thickness:
45.0 degrees Thickness: 0.234 inches 1st end
45.0 degrees Thickness: 0.234 inches 1st end Bolt Hole Diameter:
45.0 degrees Thickness: 0.234 inches 1st end Bolt Hole Diameter: 0.266 inches 1st end
45.0 degrees Thickness: 0.234 inches 1st end Bolt Hole Diameter: 0.266 inches 1st end Center To Center Distance Between Bolt Holes Along Length:
45.0 degrees Thickness: 0.234 inches 1st end Bolt Hole Diameter: 0.266 inches 1st end Center To Center Distance Between Bolt Holes Along Length: 1.656 inches 1st end
45.0 degrees Thickness: 0.234 inches 1st end Bolt Hole Diameter: 0.266 inches 1st end Center To Center Distance Between Bolt Holes Along Length: 1.656 inches 1st end Center To Center Distance Between Bolt Holes Along Width:
45.0 degrees Thickness: 0.234 inches 1st end Bolt Hole Diameter: 0.266 inches 1st end Center To Center Distance Between Bolt Holes Along Length: 1.656 inches 1st end Center To Center Distance Between Bolt Holes Along Width: 1.656 inches 1st end
45.0 degrees Thickness: 0.234 inches 1st end Bolt Hole Diameter: 0.266 inches 1st end Center To Center Distance Between Bolt Holes Along Length: 1.656 inches 1st end Center To Center Distance Between Bolt Holes Along Width: 1.656 inches 1st end Flange Face Design:
45.0 degrees Thickness: 0.234 inches 1st end Bolt Hole Diameter: 0.266 inches 1st end Center To Center Distance Between Bolt Holes Along Length: 1.656 inches 1st end Center To Center Distance Between Bolt Holes Along Width: 1.656 inches 1st end Flange Face Design: Raised swivel 1st end
45.0 degrees Thickness: 0.234 inches 1st end Bolt Hole Diameter: 0.266 inches 1st end Center To Center Distance Between Bolt Holes Along Length: 1.656 inches 1st end Center To Center Distance Between Bolt Holes Along Width: 1.656 inches 1st end Flange Face Design: Raised swivel 1st end Raised Face Height:
45.0 degrees Thickness: 0.234 inches 1st end Bolt Hole Diameter: 0.266 inches 1st end Center To Center Distance Between Bolt Holes Along Length: 1.656 inches 1st end Center To Center Distance Between Bolt Holes Along Width: 1.656 inches 1st end Flange Face Design: Raised swivel 1st end Raised Face Height: 0.020 inches 1st end
Thickness: 0.234 inches 1st end Bolt Hole Diameter: 0.266 inches 1st end Center To Center Distance Between Bolt Holes Along Length: 1.656 inches 1st end Center To Center Distance Between Bolt Holes Along Width: 1.656 inches 1st end Flange Face Design: Raised swivel 1st end Raised Face Height: 0.020 inches 1st end Raised Face Diameter:
Thickness: 0.234 inches 1st end Bolt Hole Diameter: 0.266 inches 1st end Center To Center Distance Between Bolt Holes Along Length: 1.656 inches 1st end Center To Center Distance Between Bolt Holes Along Width: 1.656 inches 1st end Flange Face Design: Raised swivel 1st end Raised Face Height: 0.020 inches 1st end Raised Face Diameter: 1.844 inches 1st end

Material:

Steel

Material Specification:

1.275 inches 2nd end

Qq-s-763, class 321, cond a federal specification single material response shoulder

NSN 4730-00-052-9751

Mil-std (military Standard):

Mil-f-27272 spec.

Swivel Flange To Hose Elbow - Page 2 of 2



Surface Treatment:
Passivate outside
Surface Treatment Specification:
Mil-f-27272 military specification single treatment response outside
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A080b0