

View Online at <https://aerobasegroup.com/nsn/4730-00-058-2826>

**Thread Class:**

3b 1st end

**Maximum Operating Temp:**

232.0 degrees fahrenheit 2nd response

**Connection Style:**

Swivel nut, flare (tube) style 3 optional end 1st end

**Leg Length:**

2.631 inches 2nd end

**Connection Type:**

Threaded internal tube 1st end

**Thready Qty Per Inch (tpi):**

12 1st end

**Maximum Operating Pressure:**

1250.0 pounds per square inch single response

**Thread Size:**

1.375 inches 2nd end

**Seat Angle:**

37.0 degrees 1st end

**Flow Angle:**

90.0 degrees

**Outside Diameter Tube Accommodated:**

1.000 inches 1st end

**Material:**

Steel comp 321 or steel comp 304 or steel comp 305

**Material Specification:**

66, aisi 321/sae 30321 federal standard 1st material response or 66, aisi 304/sae 30304 federal standard 2nd material response or 66, aisi 305/sae 30305 federal standard 3rd material response

**Media For Which Designed:**

Hydraulic fluid single response

**Surface Treatment:**

Passivate

**Thread Series Designator:**

Unef 2nd end

**Furnished Items And Quantity:**

1 ferrule sleeve and 1 hose coupling nut

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A080b0

**Mil-std (military Standard):**

Mil-f-27272 spec.