

View Online at <https://aerobasegroup.com/nsn/4730-00-087-1008>

**Thread Class:**

3b 1st end

**Maximum Operating Temp:**

121.0 degrees fahrenheit 2nd response

**Connection Style:**

Swivel nut, flareless (swivel nut attachment method optional) (tube) 1st end

**Leg Length:**

2.660 inches 2nd end

**Connection Type:**

Threaded internal tube 1st end

**Thready Qty Per Inch (tpi):**

12 1st end

**Maximum Operating Pressure:**

1000.0 pounds per square inch single response

**Thread Size:**

1.062 inches 1st end

**Seat Angle:**

12.0 degrees 1st end

**Flow Angle:**

90.0 degrees

**Inside Diameter Hose Accommodated:**

0.688 inches 2nd end

**Outside Diameter Hose Accommodated:**

0.938 inches 2nd end

**Outside Diameter Tube Accommodated:**

0.750 inches 1st end

**Material:**

Aluminum alloy

**Material Specification:**

Ww-t-700/4, alloy 5052 federal specification all material responses or ww-t-700/6, alloy6061, temper t6, type 1 federal specification all material responses

**Surface Treatment:**

Anodize outside

**Surface Treatment Specification:**

Mil-a-8625 military specification single treatment response outside

**Thread Series Designator:**

Unj 1st end

**Furnished Items And Quantity:**

1 hose coupling nut

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A080b0

**Mil-std (military Standard):**

Mil-a-8625 spec.