NSN 4730-00-092-7833

Fluid Pressure Line Multiple Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-092-7833 **Thread Class:** За **Thread Direction:** Right-hand **Overall Length:** 1.891 inches **Overall Width:** 1.000 inches Thickness: Between 0.865 inches and 0.885 inches **Thread Size:** 9/16 in. -18 **Thread Provision:** Threaded **Connection Style:** Flared **Bolt Hole Diameter:** Between 0.563 inches and 0.565 inches Seat Angle In Deg: 37.0 **Screw Thread Series Designator:** Unf Seat: Included **Deg Between Outlets:** 45.0 Fluid Connection Quantity: Fluid Conveyance Type And Size For Which Designed: 3/8 in. Od tube **Bolt Hole Flats Serrations:** Provided **Bolt Hole Fluid Passage:** Provided Material: Aluminum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t6 Material: Aluminum alloy 2014 or aluminum alloy 2024 **Surface Treatment:** Anodize

Style Designator:
1 fluid connection

NSN 4730-00-092-7833

Fluid Pressure Line Multiple Connector - Page 2 of 2



Surface Treatment:
Anodized, mil-a-8625, type 2, class 2
Specification Data:
88044-an776 government standard and 81343-as4875/1 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T385-g

Mil-std (military Standard): Mil-f-5509 spec.