

View Online at <https://aerobasegroup.com/nsn/4730-00-114-0933>

Thread Class:

3b 1st end

Maximum Operating Temp:

204.0 degrees fahrenheit 2nd response

Connection Style:

Swivel nut, flareless (swivel nut attachment method optional) (tube) 1st end

Leg Length:

0.515 inches 1st end

Connection Type:

Threaded internal tube 1st end

Maximum Operating Pressure:

3000.0 pounds per square inch single response

Thread Size:

0.438 inches 1st end

Seat Angle:

12.0 degrees 1st end

Flow Angle:

45.0 degrees

Inside Diameter Hose Accommodated:

0.217 inches 2nd end

Outside Diameter Hose Accommodated:

0.470 inches 2nd end

Outside Diameter Tube Accommodated:

0.250 inches 1st end

Material:

Stainless steel

Material Specification:

Qq-s-763, andclass 304, 304l, 316, 321 and347, cond a federal specification single material response and qq-s-763, class and304, cond b, 7000 psi min ys federal specification 1st material response and qq-w-423, class 304, or 305, cond a federal specification 2nd material response

Media For Which Designed:

Hydraulic fluid single response

Surface Treatment:

Passivate

Surface Treatment Specification:

Mil-dtl 83296 military specification single treatment response

Thread Series Designator:

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A080b0

Mil-std (military Standard):

spec.