

View Online at <https://aerobasegroup.com/nsn/4730-00-129-6707>

Thread Class:

3a 1st end

Bolt Hole Quantity:

4 2nd end

Maximum Operating Temp:

177.0 degrees celsius single response

End Application:

Helicopter, kiowa oh-58 a&c

Connection Style:

Inverted flare (tube) 1st end

Width:

1.690 inches 2nd end

Length:

1.690 inches 2nd end

Flange Shape:

Rectangular with holes 2nd end

Connection Type:

Threaded external tube 1st end

Thread Size:

1.437 inches 1st end

Seat Angle:

30.0 degrees 1st end

Criticality Code Justification:

Feat

Thickness:

0.125 inches 2nd end

Bolt Hole Diameter:

0.246 inches 2nd end

Center To Center Distance Between Bolt Holes Along Length:

1.290 inches 2nd end

Center To Center Distance Between Bolt Holes Along Width:

1.290 inches 2nd end

Flange Face Design:

Plain 2nd end

Outside Diameter Tube Accommodated:

1.250 inches 1st end

Nominallength:

1.000 inches

Special Features:

Weapon system essential

Material:

Steel

Material Specification:

Mil-s-7720 military specification single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Spec 249-00024, 89372 mfr ref single treatment response

Thread Series Designator:

Unef 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A080b0

Mil-std (military Standard):

Mil-s-7720 spec.