NSN 4730-00-134-4462

Fluid Flow Restrictor Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-134-4462 **Body Material:** Aluminum alloy **Thread Class:** 3a second connection **Thread Direction:** Right-hand second connection **Overall Length:** 2452.000 inches **Thread Size Designator:** 9/16 in.-18 first connection **Packing Material:** Rubber, synthetic **Filter Material:** Steel, corrosion resisting **Operating Tempurature Range:** -65.0 to 275.0 degrees fahrenheit **Connection Seat Angle In Deg:** 12.0 second connection **Design Type:** Straight Width Across Flats: 0.813 inches **End Connection Type:** Threaded male, regular flare second connection **End Connection Similarity:** Identical **Pressure Rating:** 3000.0 pounds per square inch **Thread Series:** Unf second connection **Strainer Type And Quantity:** 2 filter Valve Size: 0.375 inches **End Connection Component Type And Size For Which Designed:** 3/9 in. Od tube, 1/4 in. Od tube Flow Rate And Fluid Type: 0.7 gallons per minute oil **Surface Treatment:** Anodized

N/a

Shelf Life:

NSN 4730-00-134-4462

Fluid Flow Restrictor Unit - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МА	261	ıre:

--

Demilitarization:

No

Fiig:

Т359-с