Pipe To Tube Straight Adapter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-139-3841

## **Thread Class:**

2a 1st end

# Maximum Operating Temp:

121.0 degrees celsius 2nd response

## **Connection Style:**

Plain (pipe) 2nd end

## **Connection Type:**

Threaded external tube 1st end

# Thready Qty Per Inch (tpi):

12 1st end

# Maximum Operating Pressure:

3000.0 pounds per square inch single response

## Thread Size:

1.625 inches 1st end

Seat Angle:

12.0 degrees 1st end

**Outside Diameter Tube Accommodated:** 

1.250 inches 1st end

# Nominallength:

2.180 inches

## Material:

Steel

# Material Specification:

Qq-s-624 federal specification single material response or qq-s-631 federal specification single material response or qq-s-637 federal

specification single material response

#### Media For Which Designed:

Hydraulic fluid single response

# Surface Treatment Specification:

J514 assn standard single treatment response and qq-p-416, type 2, cl 3 federal specification single treatment response

# Thread Series Designator:

Un 1st end

#### **Furnished Items And Quantity:**

1 ferrule sleeve and 1 short coupling nut

#### **Specification Data:**

96906-ms51819 government standard and 81343-j514 professional/industrial association standard

# Specification Or Standard:

19a figure

# Shelf Life:

N/a

# Unit Of Measure:

---

## Demilitarization:

No

Pipe To Tube Straight Adapter - Page 2 of 2



Fiig: A080b0 Mil-std (military Standard):

Mil-f-18866 spec.