NSN 4730-00-142-1952

Anodized, mil-a-8625, type 2, class 2

Fluid Pressure Line Multiple Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-142-1952 **Thread Class:** За **Thread Direction:** Right-hand **Overall Length:** 1.688 inches **Overall Width:** 3.254 inches Thickness: 1.625 inches **Thread Size:** 7/16in.-20 **Thread Provision:** Threaded **Connection Style:** Flared **Bolt Hole Diameter:** 1.062 inches Seat Angle In Deg: 37.0 **Screw Thread Series Designator:** Unf Seat: Included Fluid Connection Quantity: 2 Fluid Conveyance Type And Size For Which Designed: 1/4 in. Od tube **Bolt Hole Flats Serrations:** Provided **Bolt Hole Fluid Passage:** Provided Material: Aluminum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t6 Material: Aluminum alloy 2014 or aluminum alloy 2024 **Surface Treatment:** Anodize **Style Designator:** 2 fluid connections **Surface Treatment:**

NSN 4730-00-142-1952

Fluid Pressure Line Multiple Connector - Page 2 of 2



S	pe	cifi	cat	ion	Data:

88044-an779 government standard and 81343-as4875/1 professional/industrial association standard

Departure From Cited Designator:

Abuj, ajyp, aajd, aajf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T385-g

Mil-std (military Standard):

Mil-f-5509 spec.