NSN 4730-00-153-8439

Fluid Passage Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-153-8439

| Body Style: |
|--|
| Plain |
| Concentric Hole Depth: |
| Between 1.640 inches and 1.672 inches |
| Concentric Hole Diameter: |
| Between 0.375 inches and 1.004 inches |
| Overall Length: |
| Between 1.921 inches and 1.953 inches |
| First End Connection Type: |
| Threaded external tube |
| First End Thread Class: |
| 3a |
| First End Thread Direction: |
| Right-hand |
| Width Across Flats: |
| Between 0.996 inches and 1.004 inches |
| First End Thread Length: |
| Between 0.546 inches and 0.578 inches |
| Wrenching Feature Style: |
| Hexagon |
| First Diameter From Wrenching Feature: |
| Between 0.744 inches and 0.748 inches |
| Length From Bearing Surface Of Wrenching Feature To End Of First Diameter: |
| Between 1.093 inches and 1.161 inches |
| First Radial Fluid Hole Diameter: |
| Between 0.296 inches and 0.328 inches |
| Distance From First Radial Hole Center To End Of Bolt: |
| Between 1.084 inches and 1.104 inches |
| Length From Bearing Surface Of Wrenching Feature To Bolt End: |
| Between 1.672 inches and 1.703 inches |
| Wrenching Feature Height: |
| Between 0.249 inches and 0.250 inches |
| Hardness Rating: |
| 92.0 rockwell b |
| First End Thready Qty Per Inch (tpi): |
| 16 |
| First End Thread Series Designator: |
| Unf |
| First End Thread Size: |
| 0.750 inches |
| Special Features: |
| Two holes 0.070 in.Dia in head |
| |

NSN 4730-00-153-8439

Fluid Passage Bolt - Page 2 of 2

Material:

Stainless steel

Surface Treatment:

Passivate

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A121a0

