

View Online at <https://aerobasegroup.com/nsn/4730-00-186-4967>

Body Style:

Shoulder

Head Diameter:

1.750 inches

Distance From Centerline To Flat:

0.750 inches

Concentric Hole Depth:

2.250 inches

Concentric Hole Diameter:

Between 0.339 inches and 0.344 inches

Overall Length:

4.410 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Plain

First End Thread Class:

2a

First End Thread Direction:

Right-hand

Second End Connection Type:

Threaded internal pipe

Second End Style Designator:

Plain

Second End Thread Direction:

Right-hand

Cotter Pin Hole Diameter:

Between 0.136 inches and 0.141 inches

First End Thread Length:

0.661 inches

Second End Thread Length:

0.312 inches

Wrenching Feature Style:

Round with wrench flats

Distance From Bolt End To Hole Center:

0.156 inches

First Diameter From Wrenching Feature:

Between 1.498 inches and 1.500 inches

Second Diameter From Wrenching Feature:

1.156 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

Between 3.115 inches and 3.120 inches

Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:

3.245 inches

First Radial Fluid Hole Diameter:

0.218 inches

Distance From First Radial Hole Center To End Of Bolt:

2.343 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

3.906 inches

Wrenching Feature Height:

0.500 inches

First End Thread Series Designator:

Unef

First End Thread Size:

1.250 inches

Second End Thread Size:

0.125 inches

Second End Thread Series Designator:

Npsf

Material:

Steel comp 1117 or steel comp 1118 or steel comp 1119 or steel comp 1120

Material Specification:

Astm a108 assn standard single material response

Surface Treatment:

Zinc or cadmium

Surface Treatment Specification:

Astm b633 assn standard 1st treatment response and qq-p-416 ty ii, cl 3 federal specification 2nd treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A121a0