NSN 4730-00-192-7558

Fluid Passage Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-192-7558

Body Style:
Relieved
Concentric Hole Depth:
0.460 inches
Concentric Hole Diameter:
0.202 inches
Overall Length:
1.082 inches
First End Connection Type:
Threaded external tube
First End Style Designator:
Plain
First End Thread Class:
2a
First End Thread Direction:
Right-hand
Width Across Flats:
0.750 inches
First End Thread Length:
0.205 inches
Wrenching Feature Style:
Hexagon
First Diameter From Wrenching Feature:
0.478 inches
Second Diameter From Wrenching Feature:
0.375 inches
Third Diameter From Wrenching Feature:
0.490 inches
Fourth Diameter From Wrenching Feature:
0.373 inches
Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:
0.110 inches
Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:
0.750 inches
Length From Bearing Surface Of Wrenching Feature To End Of Third Diameter:
0.810 inches
Length From Bearing Surface Of Wrenching Feature To End Of Fourth Diameter:
0.932 inches
First Radial Fluid Hole Diameter:
0.035 inches
Distance From First Radial Hole Center To End Of Bolt:
0.285 inches
0.285 inches

NSN 4730-00-192-7558

Fluid Passage Bolt - Page 2 of 2



Length From Bearing Surface Of Wrenching Feature To Bolt End:

0.932 inches

Wrenching Feature Height:

0.157 inches

First End Thready Qty Per Inch (tpi):

18

First End Thread Series Designator:

Unf

First End Thread Size:

0.562 inches

Special Features:

Drilled for safety wire

Material:

Stainless steel

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A121a0