## NSN 4730-00-202-6912

Fluid Passage Bolt - Page 1 of 2

Between 0.631 inches and 0.651 inches

Between 0.084 inches and 0.104 inches

**Body Style:** 

0.312 inches

**Concentric Hole Depth:** 

**Concentric Hole Diameter:** 

Plain



View Online at https://aerobasegroup.com/nsn/4730-00-202-6912

Overall Length:
0.901 inches
First End Connection Type:
Threaded external tube
First End Style Designator:
Plain
First End Thread Class:
3a
First End Thread Direction:
Right-hand
Width Across Flats:
Between 0.616 inches and 0.627 inches
First End Thread Length:
Between 0.521 inches and 0.541 inches
Wrenching Feature Style:
Hexagon
First Diameter From Wrenching Feature:
0.312 inches
Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:
Between 0.083 inches and 0.093 inches
First Radial Fluid Hole Diameter:
Between 0.052 inches and 0.072 inches
Distance From First Radial Hole Center To End Of Bolt:
Between 0.584 inches and 0.604 inches
Length From Bearing Surface Of Wrenching Feature To Bolt End:
Between 0.708 inches and 0.718 inches
Wrenching Feature Height:
Between 0.178 inches and 0.198 inches
Hardness Rating:
Between 26.0 rockwell c and 32.0 rockwell c
First End Thready Qty Per Inch (tpi):
24
First End Thread Series Designator:
Unf
First End Thread Size:
0.212 inches

## NSN 4730-00-202-6912

Fluid Passage Bolt - Page 2 of 2



Special Features:
With six 0.065 to 0.075 in.Dia holes in hex head
Material:
Steel
Material Specification:
81343-ams 7452 assn standard single material response
Specification Data:
00198-225637 manufacturers source control
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A121a0