

View Online at <https://aerobasegroup.com/nsn/4730-00-202-6912>

Body Style:

Plain

Concentric Hole Depth:

Between 0.631 inches and 0.651 inches

Concentric Hole Diameter:

Between 0.084 inches and 0.104 inches

Overall Length:

0.901 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Plain

First End Thread Class:

3a

First End Thread Direction:

Right-hand

Width Across Flats:

Between 0.616 inches and 0.627 inches

First End Thread Length:

Between 0.521 inches and 0.541 inches

Wrenching Feature Style:

Hexagon

First Diameter From Wrenching Feature:

0.312 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

Between 0.083 inches and 0.093 inches

First Radial Fluid Hole Diameter:

Between 0.052 inches and 0.072 inches

Distance From First Radial Hole Center To End Of Bolt:

Between 0.584 inches and 0.604 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

Between 0.708 inches and 0.718 inches

Wrenching Feature Height:

Between 0.178 inches and 0.198 inches

Hardness Rating:

Between 26.0 rockwell c and 32.0 rockwell c

First End Thready Qty Per Inch (tpi):

24

First End Thread Series Designator:

Unf

First End Thread Size:

0.312 inches

Special Features:

With six 0.065 to 0.075 in.Dia holes in hex head

Material:

Steel

Material Specification:

81343-ams 7452 assn standard single material response

Specification Data:

00198-225637 manufacturers source control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A121a0