## NSN 4730-00-203-9747

Fluid Passage Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-203-9747

Body Style:
Body wrenching
Concentric Hole Depth:
1.380 inches
Concentric Hole Diameter:
0.233 inches
Overall Length:
1.725 inches
Second End Connection Type:
Threaded external tube
Second End Style Designator:
Flareless
Second End Thread Class:
За
Second End Thread Direction:
Right-hand
Cotter Pin Hole Diameter:
0.097 inches
Width Across Flats:
0.750 inches
Second End Thread Length:
0.375 inches
Wrenching Feature Style:
Hexagon
Distance From Bolt End To Hole Center:
0.075 inches
First Diameter From Wrenching Feature:
0.499 inches
Second Diameter From Wrenching Feature:
0.432 inches
Third Diameter From Wrenching Feature:
0.499 inches
Fourth Diameter From Wrenching Feature:
0.432 inches
Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:
0.350 inches
Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:
0.662 inches
Length From Bearing Surface Of Wrenching Feature To End Of Third Diameter:
0.968 inches
First Radial Fluid Hole Diameter:
0.189 inches

## NSN 4730-00-203-9747

Fluid Passage Bolt - Page 2 of 2



Distance From First Radial Hole Center To End Of Bolt:
0.625 inches
Length From Bearing Surface Of Wrenching Feature To Bolt End:
1.140 inches
Wrenching Feature Height:
0.125 inches
Second End Seat Angle:
12.5 degrees
Second End Thread Size:
0.500 inches
Second End Thread Series Designator:
Unf
Material:
Aluminum
Surface Treatment:
Anodize
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A121a0