

View Online at <https://aerobasegroup.com/nsn/4730-00-206-1318>

Body Style:

Plain

Head Diameter:

1.500 inches

Distance From Centerline To Flat:

0.625 inches

Concentric Hole Depth:

2.827 inches

Concentric Hole Diameter:

0.156 inches

Overall Length:

6.375 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Plain

First End Thread Class:

2a

First End Thread Direction:

Right-hand

Second End Connection Type:

Threaded internal pipe

Second End Style Designator:

Plain

Second End Thread Direction:

Right-hand

Cotter Pin Hole Diameter:

0.156 inches

First End Thread Length:

1.500 inches

Wrenching Feature Style:

Round with wrench flats

Distance From Bolt End To Hole Center:

0.343 inches

First Diameter From Wrenching Feature:

Between 1.006 inches and 1.012 inches

Second Diameter From Wrenching Feature:

Between 0.993 inches and 0.996 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

0.375 inches

Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:

4.563 inches

First Radial Fluid Hole Diameter:

0.156 inches

Distance From First Radial Hole Center To End Of Bolt:

2.749 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

6.063 inches

Wrenching Feature Height:

0.313 inches

Hardness Rating:

Between 45.0 rockwell c and 52.0 rockwell c

First End Thread Series Designator:

Unf

First End Thread Size:

1.000 inches

Second End Thread Size:

0.125 inches

Second End Thread Series Designator:

Npt

Special Features:

W/longitudinal flat centrally located on second diameter from wrenching feature, 2.500 in.Long and 0.032in.Porm 0.015 deep

Material:

Steel comp 1015 or steel comp 1016 or steel comp 1018 and steel comp 1019 or steel comp 1020 or steel comp 1025

Material Specification:

Qq-s-634 federal specification all material responses

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A121a0