

View Online at <https://aerobasegroup.com/nsn/4730-00-207-7751>

Body Style:

Stepped

Concentric Hole Depth:

Between 2.250 inches and 2.380 inches

Concentric Hole Diameter:

Between 0.194 inches and 0.200 inches

Overall Length:

2.810 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Plain

First End Thread Class:

3a

First End Thread Direction:

Right-hand

Width Across Flats:

Between 0.744 inches and 0.753 inches

First End Thread Length:

0.880 inches

Wrenching Feature Style:

Hexagon

First Diameter From Wrenching Feature:

Between 0.494 inches and 0.498 inches

Second Diameter From Wrenching Feature:

Between 0.368 inches and 0.375 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

1.220 inches

Length From Bearing Surface Of Wrenching Feature To End Of Second Diameter:

0.710 inches

First Radial Fluid Hole Diameter:

Between 0.194 inches and 0.200 inches

Distance From First Radial Hole Center To End Of Bolt:

2.190 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

2.620 inches

Wrenching Feature Height:

0.190 inches

Hardness Rating:

Between 26.0 rockwell c and 32.0 rockwell c

First End Thread Series Designator:

Unf

First End Thread Size:

0.375 inches

Material:

Steel

Material Specification:

Fscm 81343-ams 6322 assn standard single material response

Surface Treatment:

Cadmium or zinc

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A121a0