

View Online at <https://aerobasegroup.com/nsn/4730-00-221-2126>

**Thread Class:**

3b internal

**Thread Direction:**

Right-hand internal

**Tube Outside Diameter For Which Designed:**

0.188 inches

**End Application:**

Aircraft and helicopter applications

**Connection Style:**

Pressure seal flared

**Maximum Operating Pressure:**

3000.0 pounds per square inch

**Thread Size:**

0.375 inches internal

**Seat Angle:**

37.0 degrees

**Material:**

Aluminum alloy 7075 or aluminum alloy 2014

**Material Specification:**

Qq-a-268, t6 federal specification 1st material response or qq-a-268, t851 federal specification 1st material response or qq-a-266, t6 federal specification 2nd material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, type 2 military specification single treatment response

**Style Designator:**

Cap, tube, flared

**Thread Series Designator:**

Unf internal

**Specification Data:**

88044-an929 government standard and 81343-as4841 professional/industrial association standard

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A208a0

**Mil-std (military Standard):**

Mil-a-8625 spec.