

View Online at <https://aerobasegroup.com/nsn/4730-00-247-3490>

Thread Class:

3b

Groove Depth:

Between 0.055 inches and 0.065 inches

Groove Width:

0.130 inches

Thickness:

0.250 inches

Neck Diameter:

1.250 inches

Center To Center Distance Between Bolt Holes Along Width:

1.375 inches

Center To Center Distance Between Bolt Holes Along Length:

1.593 inches

Outside Edge To Bolt Hole Center Distance Along Width:

0.250 inches

Outside Edge To Bolt Hole Center Distance Along Length:

0.203 inches

Bolt Hole Quantity:

4

Flange Length:

2.000 inches

Flange Width:

1.875 inches

Bolt Hole Diameter:

Between 0.234 inches and 0.240 inches

Bevel Depth:

Between 0.100 inches and 0.115 inches

Neck Height:

0.250 inches

Flange Section Style:

Plain face, beveled raised neck

Reducer Flange Hole Type:

Eccentric

Groove Cross-sectional Shape:

Trapezoidal

Groove Pitch Diameter:

1.100 inches

Screw Thread Series Designator:

Unf

Face Seating Surface Condition:

Machined

Thread Size:

0.875 inches

Boss Bevel Angle:

15.0 degrees

Material:

Aluminum alloy

Material Specification:

Qq-a-225/6, alloy 2024, t4 federal specification single material response

Surface Treatment:

Chromate zinc

Surface Treatment Specification:

Mil-p-8585 military specification single treatment response

Style Designator:

Rectangular, with bolt holes

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A23300

Mil-std (military Standard):

Mil-p-8585 spec.