NSN 4730-00-262-9330

Pipe Flange - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-262-9330

| view Online at https://aerobasegroup.com/hsn/4730-00-262-9330 |
|--|
| Thread Class: |
| 2b |
| Thickness: |
| 0.620 inches |
| Tube Outside Diameter For Which Designed: |
| 1.000 inches |
| Center To Center Distance Between Bolt Holes Along Width: |
| 1.406 inches |
| Center To Center Distance Between Bolt Holes Along Length: |
| 2.750 inches |
| Bolt Hole Quantity: |
| 4 |
| Flange Length: |
| 3.690 inches |
| Flange Width: |
| 2.246 inches |
| Bolt Hole Diameter: |
| 0.530 inches |
| Flange Section Style: |
| Plain face |
| Reducer Flange Hole Type: |
| Concentric |
| Screw Thread Series Designator: |
| Un |
| Face Seating Surface Condition: |
| Machined |
| Thready Qty Per Inch (tpi): |
| 12 |
| Thread Size: |
| 1.312 inches |
| Material: |
| Steel |
| Material Specification: |
| Qq-s-631 comp 1015 through 1025 federal specification 1st material response or qq-s-634 comp 1015 through 1025 federal specification |
| 2nd material response |
| Surface Treatment: |
| Cadmium |
| Surface Treatment Specification: |
| Qq-p-416, type 2, class 3 federal specification single treatment response |
| Style Designator: |
| Rectangular, with bolt holes |
| Shalf Life: |

N/a

NSN 4730-00-262-9330

Pipe Flange - Page 2 of 2



| | 1 | :. | ~ | 84 | | | | |
|---|----|----|----|-----|----|----|------|---|
| ι | JN | IT | UΤ | IVI | ea | Sι | ire: | • |

--

Demilitarization:

No

Fiig:

A23300