## NSN 4730-00-278-5815

Fluid Pressure Line Multiple Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-278-5815 **Thread Class:** За **Thread Direction:** Right-hand **Overall Length:** Between 0.953 inches and 1.563 inches **Overall Width:** 1.375 inches Thickness: 1.375 inches **Thread Size:** 7/8 in.-14 **Thread Provision:** Threaded **Connection Style:** Flared **Bolt Hole Diameter:** 0.875 inches Seat Angle In Deg: 37.0 **Screw Thread Series Designator:** Unf Seat: Included **Deg Between Outlets:** 75.0 Fluid Connection Quantity: Fluid Conveyance Type And Size For Which Designed: 5/8 in. Od tube **Bolt Hole Flats Serrations:** Provided **Bolt Hole Fluid Passage:** Provided Material: Aluminum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t6 Material: Aluminum alloy 2014 or aluminum alloy 2024 **Surface Treatment:** Anodize

Style Designator:

1 fluid connection

## NSN 4730-00-278-5815

Fluid Pressure Line Multiple Connector - Page 2 of 2



| Surface Treatment:  |
|---|
| Anodized, mil-a-8625, type 2, class 2   |
| Specification Data:   |
| 88044-an777 government standard and 81343-as4875/1 professional/industrial association standard |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
| Fiig:   |
| T385-g  |

Mil-f-5509 spec.

Mil-std (military Standard):