## NSN 4730-00-278-5817

Fluid Pressure Line Multiple Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4730-00-278-5817 **Thread Class:** 3a all connections **Thread Direction:** Right-hand all connections **Overall Length:** Between 1.219 inches and 1.562 inches Overall Width: 0.813 inches Thickness: 0.750 inches **Thread Size:** 7/16 in.-20 all connections **Thread Provision:** Threaded all connections **Connection Style:** Flared all connections **Bolt Hole Diameter:** 0.438 inches Seat Angle In Deg: 37.0 all connections **Screw Thread Series Designator:** Unf all connections Seat: Included all connections **Deg Between Outlets:** 75.0 Fluid Connection Quantity: 1 all connections Fluid Conveyance Type And Size For Which Designed: 1/4 in. Od tube **Bolt Hole Flats Serrations:** Provided **Bolt Hole Fluid Passage:** Provided Material: Aluminum alloy, qq-a-225/4, alloy 2014, t6 or aluminum alloy, qq-a-225/6, alloy 2024, t6 Material: Aluminum alloy 2014 or aluminum alloy 2024 **Surface Treatment:** Anodize

Style Desig

**Style Designator:** 

1 fluid connection

## NSN 4730-00-278-5817

Mil-std (military Standard):

Mil-f-5509 spec.

Fluid Pressure Line Multiple Connector - Page 2 of 2



Surface Treatment:
Anodized, mil-a-8625, type 2, class 2
Specification Data:
81343-as5163 government standard and 81343-as4875/1 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T385-q