NSN 4730-00-287-1082

Flange To Hose Elbow - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4730-00-287-1082

Bot Noie Quantity: 6 1st end Connection Style: Beaded (hose) 2nd end Leg Length: 3.000 inches 2nd end Flage Shape: Round with holes 1st end Connection Type: Unthreaded external hose 2nd end Flow Angle: 90.0 degrees Outside Diameter: 2.625 inches 1st end A. 10.188 inches 1st end Bot Hole Diameter: 2.625 inches 1st end Bot Cricle Diameter: 2.000 inches 2nd end Material: 1.000 inches 2nd end Material Specification single material response Surface Treatment: Andize outside Surface Treatment:		
Connection Style: Beaded (hose) 2nd end Leg Lengit: 3.000 inches 2nd end Fiang Shape: Round with holes 1st end Connection Type: Unthreaded external hose 2nd end Fiow Angle: 90.0 degrees Outside Diameter: 2.625 inches 1st end Ebit Hole Diameter: 2.625 inches 1st end Bolt Hole Diameter: 2.020 inches 1st end Bolt Circle Diameter: 2.000 inches 2nd end Hauerial Specification: 3.000 inches 2nd end Material Specification: 3.000 inches 2nd end Material Specification single material response Surface Treatment: Mil-a-6625 military specification single treatment response outside Sheft Life: Na Unit Of Measure: - - Diameter: Na Bolt Measure: - - Diameter: A000 inches: - Surface Treatment: - - - - - - - - - - - - - - - - - - -	Bolt Hole Quantity:	
Beaded (hose) 2nd end Leg Length: 3.000 inches 2nd end Flange Shape: Round with holes 1st end Connection Type: Unthreaded external hose 2nd end Flow Angle: 90.0 degrees Outside Diameter: 3.025 inches 1st end Thickenss: 3.026 inches 1st end Boit Hole Diameter: 3.026 inches 1st end Boit Hole Diameter: 3.020 inches 1st end Boit Cicle Diameter: 3.000 inches 1st end Boit Gicle Diameter: 3.000 inches 1st end Boit Gicle Diameter: 3.000 inches 1st end Hange Face Design: Plain 1st end Inside Diameter Hose Accommodated: 1.000 inches 2nd end Material Specification: 3.027 federal specification single material response Surface Treatment: Anodize outside Surface Treatment Specification: Mila-8c25 military specification single treatment response outside Shif Life: Na Singe Cicle Diameter: Na Singe Cicle Diameter: Na Surface Treatment Specification: Mila-8c25 military specification single treatment response outside Surface Treatment Specification: Mila-8c25 military specification		
Leg Length: 3.000 inches 2nd end Flange Shape: Round with holes 1st end Connection Type: Unthreaded external hose 2nd end Flow Angle: 9.0.0 degrees Outside Diameter: 2.625 inches 1st end Thickness: 0.186 inches 1st end Bolt Hole Diameter: 0.281 inches 1st end Bolt Circle Diameter: 0.281 inches 1st end Bolt Circle Diameter: 0.200 inches 1st end Bolt Circle Diameter: 0.200 inches 1st end Bolt Circle Diameter: 0.200 inches 1st end Hange Tace Design: Plain 1st end Inside Diameter Hose Accommodated: 1.000 inches 2nd end Material: Qua-305 federal specification single material response Surface Treatment: Andrea ouside Surface Treatment Specification Multa-8625 military specification single treatment response outside Surface Treatment Specification Na Dial for Measure: Na Dial for Measure	-	
3.000 inches 2nd end Flange Shape: Round with holes 1st end Connection Type: Unthreaded external hose 2nd end Flow Angle: 90.0 degrees Outside Diameter: 2.625 inches 1st end Biches 1st end Bolt Hole Diameter: 0.188 inches 1st end Bolt Circle Diameter: 0.200 inches 1st end Flange Face Design: Plain 1st end Instered Auterial: Aluminum alloy 2219 Material: Aluminum alloy 2219 Material: Andize outside Surface Treatment: Andize outside Surface Treatment Specification single material response outside Surface Treatment Specification Mia-a825 military specification single treatment response outside Surface Treatment Specification Na Na Na Surface Treatment Specification single treatment response outside Sheft Life: Na Surface Treatment Specification single treatment response outside Sheft		
Flange Shape: Round with holes 1st end Connection Type: Unthreaded external hose 2nd end Flow Angle: 90.0 degrees Outside Diameter: 2.625 inches 1st end Boit Hole Diameter: 0.188 inches 1st end Boit Circle Diameter: 2.000 inches 1st end Boit Gircle Diameter: 2.000 inches 1st end Hange Face Design: Plain 1st end Insteiner 1.000 inches 2nd end Auterial Autorian alloy 2219 Material: Autorian alloy 2219 Material: Andize outside Surface Treatment Specification single material response outside Shef Hite: Na Na Surface Treatment Specification single treatment response outside Shef Hite: Na Na Shef Hite: Na <		
Round with holes 1st end Connection Type: Unthreaded external hose 2nd end Flow Angle: 90.0 degrees Outside Diameter: 2.625 inches 1st end Thickness: 0.188 inches 1st end Bott Hole Diameter: 0.281 inches 1st end Bott Cicle Diameter: 0.201 onches 1st end Bott Goine Diameter: 2.000 inches 1st end Flange Face Design: Plain 1st end Inside Diameter Hose Accommodated: 1.000 inches 2nd end Material Auminum alloy 2219 Material Specification: Quea-367 federal specification single material response Surface Treatment Specification Mil-a-8625 military specification single treatment response outside Sheft Life: Na Unt Of Measure: ra Panelitarization: Na Surface Treatment Specification single treatment response outside Sheft Life: Na Surface Treatment Specification Na Surface Treatment Specific		
Connection Type: Unthreaded external hose 2nd end Flow Angle: 90.0 degrees Outside Diameter: 2.625 inches 1st end Thickness: 0.188 inches 1st end Bolt Hole Diameter: 0.281 inches 1st end Bolt Circle Diameter: 0.281 inches 1st end Bolt Circle Diameter: 2.000 inches 1st end Bolt Griele Diameter: 2.000 inches 1st end Hange Face Design: Plain 1st end Inside Diameter Hose Accommodated: 1.000 inches 2nd end Material: Auminum alloy 2219 Material Specification: 0q-a-367 federal specification single material response Surface Treatment Specification Surface Treatment Specification Mil-a-8625 military specification single treatment response outside Sheft Life: Na Unt Of Measure: - Demilitarization: No Fig: A080b0		
Uthreaded external hose 2nd end Flow Angle: 90.0 degrees Outside Diameter: 2.625 inches 1st end Thickness: 0.188 inches 1st end Bott Hole Diameter: 0.281 inches 1st end Bott Circle Diameter: 2.000 inches 1st end Bott Circle Diameter: 2.000 inches 1st end Flange Face Design: Plain 1st end Index Diameter Hose Accommodated: 1.000 inches 2nd end Material: Auminum alloy 2219 Material Specification Qua-a-367 federal specification single material response Surface Treatment: Anol220 outside Surface Treatment Specification single treatment response outside Shelf Life: Na Did Measure: - Pamiliatizzation: Na Surger Surger Surger Anodize Surger Mica-8625 military specification single treatment response outside Shelf Life: Na	Round with holes 1st end	
Flow Angle: 90.0 degrees Outside Diameter: 2.625 inches 1st end Thickness: 0.188 inches 1st end Bott Hole Diameter: 0.281 inches 1st end Bott Circle Diameter: 2.000 inches 1st end Flange Face Design: Plain 1st end Inside Diameter Hose Accommodated: 1.000 inches 2nd end Material Automium alloy 2219 Material Specification Ange-a-367 federal specification single material response Surface Treatment Plain 4 Mundes outside Surface Treatment Specification Mila-8625 military specification single treatment response outside Shelf Life: N/a Cht Of Measure: - Penilitarization: No Fig: Ausobo Mosebo Mosebo Mosebo Mosebo Mister (military Standard):	Connection Type:	
90.0 degrees Outside Diameter: 2.625 inches 1st end Thickness: 0.188 inches 1st end Bott Hole Diameter: 0.201 inches 1st end Bott Circle Diameter: 2.000 inches 1st end Flange Face Design: Plain 1st end Inside Diameter Hose Accommodated: 1.000 inches 2nd end Material: Aluminum alloy 2219 Material Specification: Que-a-367 federal specification single material response Surface Treatment: Anodize outside Surface Treatment Specification single treatment response outside Shelf Life: Na Dit Of Measure: Temiltarization: No Fig: Acodo Acodo Acodo	Unthreaded external hose 2nd end	
Outside Diameter: 2.625 inches 1st end Thickness: 0.188 inches 1st end Bolt Hole Diameter: 0.281 inches 1st end Bolt Circle Diameter: 2.000 inches 1st end Flange Face Design: Plain 1st end Inside Diameter Hose Accommodated: 1.000 inches 2nd end Material: Aluminum alloy 2219 Material Specification: Oq-a-367 federal specification single material response Surface Treatment: Anodize outside Surface Treatment: Nade Mila-8625 military specification single treatment response outside Sheff Life: Na Dit Of Measure: Image: Augobo Fig: Augobo	Flow Angle:	
2.625 inches 1st end 2.625 inches 1st end Ditkness: 0.188 inches 1st end Bolt Hole Diameter: 0.281 inches 1st end Bolt Circle Diameter: 2.000 inches 1st end Flange Face Design: Plain 1st end Inside Diameter Hose Accommodated: 1.000 inches 2nd end Material: Alueninum alloy 2219 Material Specification: Qq-a-367 federal specification single material response Surface Treatment: Anodize outside Surface Treatment: Mil-a-8625 military specification single treatment response outside Shelf Life: N/a Unit Of Measure: - Demilitarization: No Fig: A08000 Mil-std (military Standard):	90.0 degrees	
Thickness: C.188 inches 1st end Bott Hole Diameter: C.281 inches 1st end Bott Circle Diameter: 2.000 inches 1st end Flange Face Design: Plain 1st end Inside Diameter Hose Accommodated: 1.000 inches 2nd end Material: Aluminum alloy 2219 Material Specification: Qq-a-367 federal specification single material response Surface Treatment: Anodize outside Surface Treatment Specification single treatment response outside Shelf Life: N/a Unit Of Measure: - Demilitarization: No Fig: AQ8000 Mil-std (military Standard):	Outside Diameter:	
0.188 inches 1st end Bolt Hole Diameter: 0.281 inches 1st end Bolt Circle Diameter: 2.000 inches 1st end Flange Face Design: Plain 1st end Inside Diameter Hose Accommodated: 1.000 inches 2nd end Material: Aluminum alloy 2219 Material Specification: Oq-a-367 federal specification single material response Surface Treatment: Anodize outside Surface Treatment Specification single treatment response outside Shelf Life: N/a Unit Of Measure: - Demilitarization: No Fig: A080b0 Mil-std (military Standard):	2.625 inches 1st end	
Bolt Hole Diameter:0.281 inches 1st endBolt Circle Diameter:2.000 inches 1st endFlange Face Design:Plain 1st endInside Diameter Hose Accommodated:1.000 inches 2nd endMaterial:Aluminum alloy 2219Material Specification:Qu-a-367 federal specification single material responseSurface Treatment:Anodize outsideSurface Treatment Specification single treatment response outsideShelf Life:N/aDiameter Hose Specification single treatment response outsideShelf Life:N/aCircle Treatment:NaDiameter Specification single treatment response outsideShelf Life:N/aDiameter Specification single treatment response outsideShelf Life:N/aCircle Treatment:NaDiameter Specification:Mit -seG25 military specification single treatment response outsideShelf Life:N/aDiameter Specification:Inter Specification:Inter Specification:NaDiameter Specification:NaDiameter Specification:NaDiameter Specification:NaSpecification:NaSpecification:NaSpecification:NaSpecification:NaSpecification:NaSpecification:Specification:Specification:S	Thickness:	
0.281 inches 1st end Bolt Circle Diameter: 2.000 inches 1st end Flange Face Design: Plain 1st end Inside Diameter Hose Accommodated: 1.000 inches 2nd end Material: 1.000 inches 2nd end Material: Aluminum alloy 2219 Material Specification: Qq-a-367 federal specification single material response Surface Treatment: Anodize outside Surface Treatment Specification single treatment response outside Surface Treatment Specification single treatment response outside Shelf Life: N/a Unit Of Measure: - Demilitarization: No Fig: A080b0 Mil-std (military Standard):	0.188 inches 1st end	
Bolt Circle Diameter:2.000 inches 1st endFlange Face Design:Plain 1st endInside Diameter Hose Accommodated:1.000 inches 2nd endMaterial:Aluminum alloy 2219Material Specification:Qq-a-367 federal specification single material responseSurface Treatment:Anodize outsideSurface Treatment Specification single treatment response outsideShelf Life:N/aDit Of Measure:Smilitarization:NaSurface Treatment:NaSurface Treatment Specification single treatment response outsideShelf Life:N/aDit Of Measure:Surface Treatment:NoSigni Circle Ci	Bolt Hole Diameter:	
2.000 inches 1st end Flange Face Design: Plain 1st end Inside Diameter Hose Accommodated: 1.000 inches 2nd end Material: Aluminum alloy 2219 Material Specification: Qq-a-367 federal specification single material response Surface Treatment: Anodize outside Surface Treatment Specification: Mil-a-8625 military specification single treatment response outside Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: A080b0 Mil-std (military Standard):	0.281 inches 1st end	
Flange Face Design:Plain 1st endInside Diameter Hose Accommodated:1.000 inches 2nd endMaterial:Aluminum alloy 2219Material Specification:Oq-a-367 federal specification single material responseSurface Treatment:Anodize outsideSurface Treatment Specification single treatment response outsideShelf Life:N/aUnit Of Measure:-Pomilitarization:NoFig:Ao80b0Mil-astel (military Standard):	Bolt Circle Diameter:	
Plain 1st end Inside Diameter Hose Accommodated: 1.000 inches 2nd end Material: Aluminum alloy 2219 Material Specification: Qq-a-367 federal specification single material response Surface Treatment: Anodize outside Surface Treatment Specification: Mil-a-8625 military specification single treatment response outside Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: A080b0 Mil-std (military Standard):	2.000 inches 1st end	
Inside Diameter Hose Accommodated: 1.000 inches 2nd end Material: Aluminum alloy 2219 Material Specification: Qra-367 federal specification single material response Surface Treatment: Anodize outside Surface Treatment Specification: Mil-a-8625 military specification single treatment response outside Shelf Life: N/a N/a Dit Of Measure: - Fomilitarization: No Fig: A080b0 Mil-set (military Standard):	Flange Face Design:	
1.000 inches 2nd end Material: Aluminum alloy 2219 Material Specification: Qq-a-367 federal specification single material response Surface Treatment: Anodize outside Surface Treatment Specification: Mil-a-8625 military specification single treatment response outside Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A080b0 Mil-std (military Standard):	Plain 1st end	
Material:Aluminum alloy 2219Material Specification:Qq-a-367 federal specification single material responseSurface Treatment:Anodize outsideSurface Treatment Specification:Mil-a-8625 military specification single treatment response outsideShelf Life:N/aUnit Of Measure:-Pomilitarization:NoFig:A080b0Mil-a-sto Component Specification:Material Specification: <t< th=""><th>Inside Diameter Hose Accommodated:</th><th></th></t<>	Inside Diameter Hose Accommodated:	
Aluminum alloy 2219 Material Specification: Qq-a-367 federal specification single material response Surface Treatment: Anodize outside Surface Treatment Specification: Mil-a-8625 military specification single treatment response outside Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: A080b0 Mil-std (military Standard):	1.000 inches 2nd end	
Material Specification:Qq-a-367 federal specification single material responseSurface Treatment:Anodize outsideSurface Treatment Specification:Mil-a-8625 military specification single treatment response outsideShelf Life:N/aUnit Of Measure:-Demilitarization:NoFig:A080b0Mil-set (military Standard):	Material:	
Qq-a-367 federal specification single material responseSurface Treatment:Anodize outsideSurface Treatment Specification:Mil-a-8625 military specification single treatment response outsideShelf Life:N/aUnit Of Measure:Demilitarization:NoFig:A080b0Mil-std (military Standard):	Aluminum alloy 2219	
Surface Treatment:Anodize outsideSurface Treatment Specification:Mil-a-8625 military specification single treatment response outsideShelf Life:N/aUnit Of Measure:Demilitarization:NoFig:A080b0Mil-setd (military Standard):	Material Specification:	
Anodize outside Surface Treatment Specification: MiI-a-8625 military specification single treatment response outside Shelf Life: N/a N/a Unit Of Measure: Demilitarization: No Fig: A080b0 MiI-std (military Standard):	Qq-a-367 federal specification single material response	
Surface Treatment Specification: Mil-a-8625 military specification single treatment response outside Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: A080b0 Mil-std (military Standard):	Surface Treatment:	
Mil-a-8625 military specification single treatment response outside Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A080b0 Mil-std (military Standard):	Anodize outside	
Shelf Life: N/a Unit Of Measure: Demilitarization: No Flig: A080b0 Mil-std (military Standard):	Surface Treatment Specification:	
N/a Unit Of Measure: Demilitarization: No Fiig: A080b0 Mil-std (military Standard):	Mil-a-8625 military specification single treatment response outside	
Unit Of Measure: Demilitarization: No Fiig: A080b0 Mil-std (military Standard):	Shelf Life:	
 Demilitarization: No Fiig: A080b0 Mil-std (military Standard):	N/a	
No Fiig: A080b0 Mil-std (military Standard):	Unit Of Measure:	
No Fiig: A080b0 Mil-std (military Standard):		
Fiig: A080b0 Mil-std (military Standard):	Demilitarization:	
A080b0 Mil-std (military Standard):	No	
Mil-std (military Standard):	Fiig:	
	A080b0	
Mil-a-8625 spec.	Mil-std (military Standard):	
	Mil-a-8625 spec.	