

View Online at <https://aerobasegroup.com/nsn/4730-00-288-9526>

Bolt Hole Quantity:

4 1st end

Maximum Operating Temp:

275.0 degrees fahrenheit single response

Connection Style:

Gripping nipple (nose) 2nd end

Leg Length:

3.000 inches 2nd end

Width:

1.750 inches 1st end

Length:

1.750 inches 1st end

Flange Shape:

Rectangular with holes 1st end

Connection Type:

Threaded external hose gripping 2nd end

Maximum Operating Pressure:

800.0 pounds per square inch 2nd response

Flow Angle:

45.0 degrees

Thickness:

0.234 inches 1st end

Bolt Hole Diameter:

0.216 inches 1st end

Center To Center Distance Between Bolt Holes Along Length:

1.312 inches 1st end

Center To Center Distance Between Bolt Holes Along Width:

1.312 inches 1st end

Flange Face Design:

Raised swivel 1st end

Raised Face Height:

0.063 inches 1st end

Raised Face Diameter:

1.500 inches 1st end

Inside Diameter Hose Accommodated:

0.875 inches 2nd end

Outside Diameter Hose Accommodated:

1.234 inches 2nd end

Material:

Aluminum alloy

Material Specification:

Qq-a-351, t4 federal specification single material response socket or qq-a-268, t4 federal specification single material response socket or qq-a-367, comp 5 federal specification single material response socket or qq-a-261, t6 federal specification single material response socket or qq-a-266, t6 federal specification single material response socket or qq-a-267, t4 federal specification single material response socket

Media For Which Designed:

Oil 3rd response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 2 military specification single treatment response

Furnished Items And Quantity:

1 hose coupling nut

Specification Data:

96906-ms28749 government standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A080b0

Mil-std (military Standard):

Mil-a-8625 spec.