

View Online at <https://aerobasegroup.com/nsn/4730-00-289-3372>

Body Style:

Body wrenching

Concentric Hole Diameter:

0.109 inches

Overall Length:

2.531 inches

First End Connection Type:

Threaded external tube

First End Style Designator:

Plain

First End Thread Class:

3a

First End Thread Direction:

Right-hand

Second End Connection Type:

Threaded external tube

Second End Style Designator:

Second End Thread Class:

3a

Second End Thread Direction:

Right-hand

End Application:

Aircraft, c-130's, s-3a, t-37, h-46, ch-47; support equip

Width Across Flats:

Between 0.746 inches and 0.754 inches

First End Thread Length:

0.375 inches

Second End Thread Length:

1.016 inches

Wrenching Feature Style:

Hexagon

First Diameter From Wrenching Feature:

Between 0.494 inches and 0.798 inches

Length From Bearing Surface Of Wrenching Feature To End Of First Diameter:

0.188 inches

First Radial Fluid Hole Diameter:

0.062 inches

Distance From First Radial Hole Center To End Of Bolt:

Between 0.875 inches and 0.921 inches

Length From Bearing Surface Of Wrenching Feature To Bolt End:

1.343 inches

Wrenching Feature Height:

0.188 inches

Pressure Rating:

3000.000 pounds per square inch

First End Thread Series Designator:

Unjf

First End Thread Size:

0.500 inches

Second End Seat Angle:

37.0 degrees

Second End Thread Size:

0.438 inches

Second End Thread Series Designator:

Unjf

Criticality Code Justification:

Feat

Special Features:

Weapons system essential

Material:

Aluminum alloy

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 2 military specification single treatment response

Specification Data:

81343-as5167 professional/industrial association specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A121a0

Mil-std (military Standard):

Mil-a-8625 spec.