

View Online at <https://aerobasegroup.com/nsn/4730-00-322-8462>

Thread Class:

2a 1st end

Maximum Operating Temp:

250.0 degrees fahrenheit 2nd response

End Application:

Buf engine, aircraft, f100-pw-200 (f-16a/b/c/d)

Connection Style:

Plain (pipe) 2nd end

Leg Length:

1.650 inches 1st end

Connection Type:

Threaded external tube 1st end

Maximum Operating Pressure:

3000.0 pounds per square inch single response

Thread Size:

0.750 inches 1st end

Seat Angle:

37.0 degrees 1st end

Flow Angle:

90.0 degrees

Outside Diameter Tube Accommodated:

0.500 inches 1st end

Material:

Steel comp 316

Material Specification:

Fed standard 66, comp 300 series federal standard single material response

Media For Which Designed:

Hydraulic fluid single response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35, type 2 federal specification single treatment response

Thread Series Designator:

Unf 1st end

Furnished Items And Quantity:

1 tube coupling nut w/sleeve

Specification Data:

96906-ms51504 government standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A080b0